ELSEVIER

Volume 197, Numbers 1–2, September 1996

WEAR

Contents

Elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate 1
M. Hlaváček, D. Vokoun (Prague, Czech Republic)

Friction and wear model of a heavy-loaded sliding pair
Part II. Application to an unlubricated journal bearing 9
V.L. Kolmogorov, V.V. Kharlamov, A.M. Kurilov, S.V. Pavlishko (Ekaterinburg, Russia)

An approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys 17
R.K. Paretkar, J.P. Modak, A.V. Ramarao (Nagpur, India)

Sliding wear behavior of nitrided and nitrocarburized cast irons 38
G. Nicoletto (Parma, Italy), A. Tucci, L. Esposito (Bologna, Italy)

Micromechanisms of tool wear in machining free cutting steels 45
K. Ramanujachar, S.V. Subramanian (Hamilton, Ontario, Canada)

Wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing 56
M. Zaytouni, J.P. Rivière (Poitiers, France)

The effect of surface roughness on the temperature at the contact between sliding bodies 63
D. Guha, S.K. Roy Chowdhuri (Kharagpur, India)

Analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys 74
D.B. Lewis, S.R. Bradbury (Sheffield, UK), M. Sarwar (Newcastle, UK)

The effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades 82
D.B. Lewis, S.R. Bradbury (Sheffield, UK), M. Sarwar (Newcastle, UK)

Asperity level conformity in partial EHL
Part I: its characterization 89
M. Ram Tyagi (Dehradun, India), A. Sethuramiah (New Delhi, India)

Asperity level conformity in partial EHL
Part II—Its influence in lubrication 98
M. Ram Tyagi (Dehradun, India), A. Serhuramiah (New Delhi, India)

Bearing characteristics of cast leaded aluminium–silicon alloys 105
A. Sharma, T.V. Rajan (Jaipur, India)

Wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding 115
C.J. Hooke, S.N. Kukureka, P. Liao, M. Rao, Y.K. Chen (Birmingham, UK)

Influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet 123
P.K. Saha, W.R.D. Wilson (Evanston, IL, USA), R.S. Timsit (Markham, Ontario, Canada)

Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze 130
Y. Li, T.L. Ngai, W. Xia (Guangzhou, China)

Surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels 137
X. Su, P. Clayton (Portland, OR, USA)

Friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding 145
V.K. Srivastava, J.P. Pathak (Varanasi, India)

Tribological investigation of 2009 Al–20 vol.% SiC_P/17-4 PH
Part I: Composite performance 151
A.P. Sannino, H.J. Rack (Clemson, SC, USA)

Elsevier Science S.A.

Effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area 160
A. Yevtushenko, E. Ivanyk (Lviv, Ukraine)

An investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel 169
X.D. Fang (Ames, IA, USA), D. Zhang (Wollongong, Australia)

Fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel 179
I.R. McColl, S.J. Harris, G.J. Spurr (Nottingham, UK)

A machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment 192
A. Koenen, Ph. Virmoux, R. Gras, J. Blouet (St Ouen, France), J.M. Dewulf, J.M. De Monicault (Vernon, France)

Elastic–plastic finite element analysis of spall formation in gears 197
Y. Ding, R. Jones, B.T. Kuhnell (Clayton, Vic., Australia)

The tribological behaviour and application of rare earth lubricants 206
L. Yu, M. Nie, Y. Lian (Lanzhou, People's Republic of China)

An investigation of nano-wear during contact recording 211
A.R. Machcha (La Jolla, CA, USA), M.H. Azarian (San Jose, CA, USA), F.E. Talke (La Jolla, CA, USA)

Stochastic FEM model of one-dimensional hydrodynamic bearings with rough surfaces 221
R. Turaga, A.S. Sekhar, B.C. Majumdar (Kharagpur, India)

Sliding wear study of ion-beam mixing Ni–Mo multilayer films on steel 228
W. Zhang, X. Zhang, D. Yang, Q. Xue (Lanzhou, People's Republic of China)

Tribological characteristics of graded pencil cores on paper 233
P.J. Blau (Oak Ridge, TN, USA), J.K. Gardner, Jr. (Atlanta, GA, USA)

Experimental study on the abrasive wear in metal cutting 242
V. Marinov (Plovdiv, Bulgaria)

Wear performance of aluminium alloy composites containing unidirectionally-oriented silicon carbide coated boron fibres 248
Y. Sahin (Ankara, Turkey), S. Murphy (Birmingham, UK)

Deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact 255
W.R. Tyfour (Karak, Jordan), J.H. Beynon, A. Kapoor (Sheffield, UK)

Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing 266
W. Zhang, X. Zhang, Q. Xue, D. Yang (Lanzhou, China)

Investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis 271
S. Bahadur, D. Gong, J. Anderegg (Ames, IA, USA)

The effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol 280
T. Hisakado (Gunma, Japan), K. Ikuta (Yamaguchi, Japan), H. Suda, K. Saitou (Gunma, Japan)

The effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator 286
H. Zhang (Jilin, People's Republic of China), P.Y. Hou (Berkeley, CA, USA), J. Stringer (Palo Alto, CA, USA)

Letters to the Editor

Comments on "Tool wear mechanisms in intermittent cutting of metal matrix composites" 295
M.Es. Abdel Moneim (Port Said, Egypt)

Reply to Comments on "Tool wear mechanisms in intermittent cutting of metal matrix composites" 296
F. Bergman, S. Jacobson (Uppsala, Sweden)

Author Index of Volume 197 297

Subject Index of Volume 197 299

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.